

BEST AVAILABLE COPY

10696669_LIST.txt

10696669

PLUS Search Results for S/N 10696669, Searched March 25, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

6252544
6429812
5448936
6292830
5592170
3704594
3852967
3817039
4044563
4412114
4596838
4968187
5767388
6333631
5343809
5929370
5321667
5438552
5035060
6082266
5564866
4884847
4425057
6442476
6382070
4964329
5483455
5936184
6055214
6174209
6319079
4320627
6268853
6405132
5999865
4334579
4357167
4437520
4448252
4463807
4465401
4500329
4756367
4961175
5232311
5629480
5662387
5682709
RE36019
5921862

Most Frequently Occurring Classifications of Patents Returned
From A Search of 10696669 on March 25, 2005

Original Classifications

3 89/1.13
3 405/288
2 342/357.1
2 367/88
2 405/259.6
2 440/12.5

Cross-Reference Classifications

3 701/213
2 89/1.11
2 89/1.13
2 102/403
2 114/312
2 114/313
2 114/315
2 166/245
2 166/268
2 166/292
2 299/11
2 299/12
2 342/357.06
2 342/357.13
2 405/259.4
2 405/267
2 405/290
2 411/428
2 411/534
2 440/12.66

Combined Classifications

5 89/1.13
3 405/267
3 405/288
3 701/213
2 89/1.11
2 102/403
2 114/312
2 114/313
2 114/315
2 166/245
2 166/261
2 166/268
2 166/292
2 299/1.05
2 299/11
2 299/12
2 342/357.06
2 342/357.1
2 342/357.13
2 367/88
2 405/259.4
2 405/259.6
2 405/290
2 411/428
2 411/534
2 440/12.5
2 440/12.66
2 701/207

Titles of Most Frequently Occurring Classifications of Patents Returned
From A Search of 10696669 on March 25, 2005

- 5 89/1.13 (3 OR, 2 XR)
 Class 089 : ORDNANCE
 89/1.13 MINE-DESTROYING DEVICES

- 3 405/267 (1 OR, 2 XR)
 Class 405 : HYDRAULIC AND EARTH ENGINEERING
 405/258.1 EARTH TREATMENT OR CONTROL
 405/263 .Chemical
 405/266 ..Cementitious (e.g., grouting)
 405/267 ...Filling subterranean cavity (e.g.,
 underground wall)

- 3 405/288 (3 OR, 0 XR)
 Class 405 : HYDRAULIC AND EARTH ENGINEERING
 405/258.1 EARTH TREATMENT OR CONTROL
 405/272 .Shoring, bracing, or cave-in prevention
 405/288 ..Roof support

- 3 701/213 (0 OR, 3 XR)
 Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND
 RELATIVE LOCATION
 701/200 NAVIGATION
 701/207 .Employing position determining equipment
 701/213 ..Using Global Positioning System (GPS)

- 2 89/1.11 (0 OR, 2 XR)
 Class 089 : ORDNANCE
 89/1.11 WAGING WAR

- 2 102/403 (0 OR, 2 XR)
 Class 102 : AMMUNITION AND EXPLOSIVES
 102/401 MINES
 102/402 .Counter measure
 102/403 ..By explosion

- 2 114/312 (0 OR, 2 XR)
 Class 114 : SHIPS
 114/312 SUBMERSIBLE DEVICE

- 2 114/313 (0 OR, 2 XR)
 Class 114 : SHIPS
 114/312 SUBMERSIBLE DEVICE
 114/313 .With disparate vehicle feature

- 2 114/315 (0 OR, 2 XR)
 Class 114 : SHIPS
 114/312 SUBMERSIBLE DEVICE
 114/315 .Diver assistance device

- 2 166/245 (0 OR, 2 XR)
 Class 166 : WELLS
 166/244.1 PROCESSES
 166/245 .Specific pattern of plural wells

- 2 166/261 (1 OR, 1 XR)
 Class 166 : WELLS
 166/244.1 PROCESSES
 166/256 .In situ combustion
 166/261 ..Injecting specific material other than oxygen

10696669_CLSTITLES.txt
into formation

- 2 166/268 (0 OR, 2 XR)
Class 166 : WELLS
166/244.1 PROCESSES
166/268 .Distinct, separate injection and producing wells
- 2 166/292 (0 OR, 2 XR)
Class 166 : WELLS
166/244.1 PROCESSES
166/285 .Cementing, plugging or consolidating
166/292 ..Using specific materials
- 2 299/1.05 (1 OR, 1 XR)
Class 299 : MINING OR IN SITU DISINTEGRATION OF HARD MATERIAL
299/1.05 AUTOMATIC CONTROL; SIGNALING OR INDICATING
- 2 299/11 (0 OR, 2 XR)
Class 299 : MINING OR IN SITU DISINTEGRATION OF HARD MATERIAL
299/10 PROCESSES
299/11 .Stabilizing underground structure
- 2 299/12 (0 OR, 2 XR)
Class 299 : MINING OR IN SITU DISINTEGRATION OF HARD MATERIAL
299/10 PROCESSES
299/12 .Mine safety
- 2 342/357.06 (0 OR, 2 XR)
Class 342 : COMMUNICATIONS: DIRECTIVE RADIO WAVE SYSTEMS AND DEVICES
342/350 DIRECTIVE
342/352 .Including a satellite
342/357.01 ..With position indicating
342/357.06 ...Using Global Positioning Satellite (GPS or Glonass)
- 2 342/357.1 (2 OR, 0 XR)
Class 342 : COMMUNICATIONS: DIRECTIVE RADIO WAVE SYSTEMS AND DEVICES
342/350 DIRECTIVE
342/352 .Including a satellite
342/357.01 ..With position indicating
342/357.06 ...Using Global Positioning Satellite (GPS or Glonass)
342/357.1Combined with telecommunication
- 2 342/357.13 (0 OR, 2 XR)
Class 342 : COMMUNICATIONS: DIRECTIVE RADIO WAVE SYSTEMS AND DEVICES
342/350 DIRECTIVE
342/352 .Including a satellite
342/357.01 ..With position indicating
342/357.06 ...Using Global Positioning Satellite (GPS or Glonass)
342/357.13With storage device (i.e., map or database)
- 2 367/88 (2 OR, 0 XR)
Class 367 : COMMUNICATIONS, ELECTRICAL: ACOUSTIC WAVE

SYSTEMS AND DEVICES

367/87

ECHO SYSTEMS

367/88

.Side scanning or contour mapping sonar systems

- 2 405/259.4 (0 OR, 2 XR)
Class 405 : HYDRAULIC AND EARTH ENGINEERING
405/258.1 EARTH TREATMENT OR CONTROL
405/259.1 .Rock or earth bolt or anchor
405/259.4 ..Bolt having wedge expander
- 2 405/259.6 (2 OR, 0 XR)
Class 405 : HYDRAULIC AND EARTH ENGINEERING
405/258.1 EARTH TREATMENT OR CONTROL
405/259.1 .Rock or earth bolt or anchor
405/259.5 ..With settable material feature
405/259.6 ...Breaking canister or packet
- 2 405/290 (0 OR, 2 XR)
Class 405 : HYDRAULIC AND EARTH ENGINEERING
405/258.1 EARTH TREATMENT OR CONTROL
405/272 .Shoring, bracing, or cave-in prevention
405/288 ..Roof support
405/290 ...Jack
- 2 411/428 (0 OR, 2 XR)
Class 411 : EXPANDED, THREADED, DRIVEN, HEADED,
TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
411/427 INTERNALLY THREADED FASTENER ELEMENT, E.G.,
NUT, ETC.
411/428 .Including lubricating means
- 2 411/534 (0 OR, 2 XR)
Class 411 : EXPANDED, THREADED, DRIVEN, HEADED,
TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
411/531 WASHER STRUCTURE
411/534 .Including antifriction means
- 2 440/12.5 (2 OR, 0 XR)
Class 440 : MARINE PROPULSION
440/12.5 SELF-PROPELLED VEHICLE HAVING LAND AND WATER
PROPULSION MEANS (E.G., AMPHIBIOUS VEHICLE)
- 2 440/12.66 (0 OR, 2 XR)
Class 440 : MARINE PROPULSION
440/12.5 SELF-PROPELLED VEHICLE HAVING LAND AND WATER
PROPULSION MEANS (E.G., AMPHIBIOUS VEHICLE)
440/12.66 ..Wheel-type propulsion means
- 2 701/207 (1 OR, 1 XR)
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND
RELATIVE LOCATION
701/200 NAVIGATION
701/207 .Employing position determining equipment



Web Images Groups News Froogle Local^{New!} more »

mine image robot

Search

Advanced Search
Preferences

Web

Results 1 - 10 of about 214,000 for mine image robot. (0.36 seconds)

Tip: Looking for pictures? Try [Google Images](#)

Mine-Finding Robot - Ref.No. 021

... robotics complex for finding and destroying **mines** ("**Mine-finding Robot**") is designed ...
Obtaining colour or monochrome three-dimensional **image** of outlines ...
w2.nasatech.com/ITB/Ru/tech21.html - 5k - [Cached](#) - [Similar pages](#)

Mine Robots to Make Mines Safer

... performs it's mission, observed from two points of view-the overhead camera used
by current **mine** rescue to **image** deep shafts-and the **robot**, who's video are ...
www.usmra.com/MOLEUltraLight/MOLEUltrLight.htm - 14k - [Cached](#) - [Similar pages](#)

Pemex-PE Portrait Gallery

... **Mine Explorer** (Pemex) BE is a two-wheeled **robot** built to ... will be tested for the detection
of plastic (minimum metal) **mines**. [Image] At the entrance to EPFL. ...
www.fourmilab.ch/minerats/figures/pemex.html - 4k - [Cached](#) - [Similar pages](#)

Biomimetic Underwater Robot Program

... Motion Video for Scientific **Image** Analysis. ... and Massa, D. (1994) Biologically-Based
Underwater **Robots**. ... the Autonomous Vehicles in **Mine** Countermeasures Symposium ...
www.neurotechnology.neu.edu/burp.html - 19k - [Cached](#) - [Similar pages](#)

Army Technology - Explosive Ordnance Disposal and Mine Clearance ...

... and implemented upgrades for the Ground Standoff **Mine** Detection System ... A security
key protects the **robot** and OCU even ... Click on the **image** concerned to be taken ...
www.army-technology.com/contractors/mines/gallery.html - 26k - [Cached](#) - [Similar pages](#)

Army Technology - REMOTEC - EOD, Surveillance, Security and ...

... service in the Falklands and Bosnia as **mine** clearance vehicles. ... Expand **image** Andros
F6-A: a highly reliable and versatile multi-mission mobile **robot**. ...
www.army-technology.com/contractors/mines/remotec/ - 14k - [Cached](#) - [Similar pages](#)
[[More results from www.army-technology.com](#)]

[PDF] Capabilities and Research in Homeland Security

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... such as text **mining**, web **mining**, **image mining**, and sensors. ... **Mine** the data for knowledge
discovery, user ... a combination of layers constitutes a micro **robot**. ...
www.rit.edu/~ficwww/RIT_Research_Capabilities.pdf - [Similar pages](#)

Range Image Registration and Robot Relocalization

... 6D **robot** relocalization is essential for **robots** driving cross ... distinguishing features
of the range **images** and uses ... the surface structure of the **mine** is too ...
www.ais.fraunhofer.de/ARC/3D/download/icra2004/node4.html - 6k - [Cached](#) - [Similar pages](#)

Have an Old Mine? Build your Rover to Explore it!

... a pan-and-tilt video camera that will be able to send **images** of the **mine** back to ...
let's turn to the Tucson Citizen to learn more about why this **robot** is a ...
www.primidi.com/2004/12/04.html - 26k - [Cached](#) - [Similar pages](#)

Low-Cost Robot Could Locate Land Mines In Rugged Terrain







... a spray paint nozzle to mark the spot when a possible mine is located ... also features a small video screen displaying real-time images from the robot's camera ...

www.spacedaily.com/news/robot-04p.html - 23k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF


[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Roland Piquepaille's Technology Trends

How new technologies are modifying our way of life



samedi 4 décembre 2004

Have an Old Mine? Build your Rover to Explore it!

Here is a story for your weekend. The grandmother of an engineering student at the University of Arizona has an old mine on her property. What could be inside? Would it be safe to explore it? She -- the student, not the grandmother -- decided it was better to send a robot inside and she teamed with another robotic enthusiast to build a radio-controlled rover to explore the mysteries of the old mine. The 18-inch-long and 7-inch-high robot can communicate with them via a 900 MHz radio modem and send them videos from inside the mine. Theoretically, the robot has a seven-mile range line-of-sight, but the team is not so sure. So the robot is also tied with a rope to pull it out of the mine if necessary, especially if it falls into a big hole. And did I mention this robot is a 'she'? They decided the machine was female "because the rover is independent, sometimes unpredictable and able to do the seemingly impossible" and they called her "Green Meanie." Read more...

Let's start with the beginning of the article of the *Arizona Daily Wildcat*.

Keith Brock and Jessica Dooley, both aerospace engineering seniors, were curious about what was inside a mine northeast of Phoenix near Congress, Ariz., but were not willing to risk their lives to find out.


Brock and Dooley, members of the UA's Aerial Robotics Club, said they were familiar with the technology necessary to make the rover, so it only took two weeks to go from an idea to the finished product.

Dooley said they have yet to test the rover in an actual mine because they are uncertain how safe the mineshafts are and unsure if they will get radio transmission that far underground. They plan to connect the rover to a rope in case they need to pull it out of the mine.

Here is a photo of Keith Brock and Jessica Dooley with their "Green Meanie" rover --

Special Advertisement

Could this happen t



PBS and NOVA pro
tsunamis past and pre
**Wave That Shook
World**, followed I
KRAKATOA March
beginning at 8pm I

Discover the Anatomy
Tsunami

Explore key tsunam
throughout histor

How will we detect th
one?

Got questions?
Ask the Expert
Read More...

Reserve your Premium

December 2004

Sun	Mon	Tue	Wed	Thu	Fri
			1	2	3
5	6	7	8	9	10
12	13	14	15	16	17
19	20	21	22	23	24
26	27	28	29	30	31
Nov Jan					



definitively a 'female' machine (Credit: Gary Gaynor, Tucson Citizen).



And here is how "the mine rover captures a video image of the photographer taking its photo. The photographer's image has been sent from the rover camera (black object just to the right of the light at the front of the rover) to the computer screen." (Credit: University of Arizona?)

Here are some general details about this robotic rover.

Dooley said the 18-inch-long rover has a searchlight powerful enough to see in the depths of the mine, and a pan-and-tilt video camera that will be able to send images of the mine back to their laptop.

Brock said the rover is 1.5 square feet in area and seven inches tall. He said it can be controlled with a joystick, computer mouse, or cursor tracking.

Brock said the rover is 1.5 square feet in area and seven inches tall. He said it can be controlled with a joystick, computer mouse, or cursor tracking.

Now, let's turn to the *Tucson Citizen* to learn more about why this robot is a 'she.'

It climbs over rocks as big as your head and remains

Search this blog for

Find ALL words

Search

Courtesy of [PicoSearch](#)

Personal Links

[Roland's Weblog](#)
[Weblog Archives](#)
[Sidebar Stories](#)
[Rate this Blog](#)
[Personal Infos](#)

Advertisers


Reach the tech crowd

This blog focuses on technologies and how they will affect our lives.

This is the place to reach these technology-savvy readers and advertise your most innovative products and services.

[Read More...](#)

Voice of the GoatCraze



Effortless algorithmic interface for Mac OS X.

Self-organizing.
 Infinite...
 NOT insane!

[Read More...](#)

agile on loose gravel, sand and hardpan. It can explore areas too dangerous for humans, lighting its way and sending video images to its creators. It's the Green Meanie.

That's what Jessica Dooley dubbed the green-wheeled, battery-operated rover she built with the help of Keith Brock, a fellow aerospace engineering senior at the University of Arizona. She's decided the machine is female.

"It's definitely a she," Dooley said, explaining that the rover is independent, sometimes unpredictable and able to do the seemingly impossible.

Now that we know that this rover is female, let's look at more technical details provided by *innovations report*, from Germany, in "**Students Build Rover to Explore Old Mines.**"

The rover is about 1.5 square feet in area and seven inches tall. It can be controlled with a joystick, computer mouse or cursor tracking. The cursor tracking or "mouse tracking" is linked to the rover's video camera. Move the cursor to a point on the image sent back from the video camera, and the video camera will center over that part of the image where the cursor lies. "If you have a moving object, you can follow it with the mouse and the camera will automatically stay centered on it," Brock said.

With the hatch off, the rover electronics can be seen to include: lithium polymer batteries; servos that drive the wheels; a 900 MHz wireless modem; a servo-driver board that allows the remote computer to send signals to the servos; and a DC-to-DC converter that has outputs for several voltages to power the rover's various electronic components.

So you have an old mine close to your home and want to see what's inside? Contact the students and build your own 'Green Meanie.'

Sources: Georgeanne Barrett, Arizona Daily Wildcat, November 23, 2004; Larry Copenhaver, Tucson Citizen, December 3, 2004; innovations report, Germany, November 18, 2004

Related stories can be found in the following categories.

- **Robotics**
- **Wireless**

8:40:27 PM [Permalink](#) [Comments \[0 \]](#) [Trackback \[0 \]](#)

The Top 5 Reason Earn...

Five Reasons to Earn Your BS in Computer Science...



A Bachelor of Science in Computer Science from National University. Rank number #1: faster time to degree. Our unique course-per-month system option can accelerate time to an in-demand degree that prepares you for success in today's soft market. Get more details.

[Read More...](#)

[Reserve your Blog](#)

Other Links

[Ars Technica](#)
[Bloglines](#)
[BoingBoing](#)
[Daily Rotation News](#)
[DefenseTech](#)
[del.icio.us](#)
[Engadget](#)
[Feedster](#)
[Gizmodo](#)
[I4U News](#)
[Mindjack Daily Release](#)
[Nanodot](#)
[OhPurleese](#)
[Slashdot](#)
[Smart Mobs](#)
[Techdirt](#)
[Technorati](#)

People

Ads by Goooooogle

Precision Technologies

An industry leader in customized robotic solutions
www.pre-tec.com

Wall Climbing Robot

R/C robot scales many surfaces. Inspection/Law
Enforcement/Security
www.clarifyingtech.com

Hobby Engineering

Check our complete line of robot kits for kids, students and adults.
www.HobbyEngineering.com

Robotic kits and Toys

Large selection of robot toy kits. All shipped within 24 hours.
StoreforKnowledge.com



© Copyright 2005 Roland Piquepaille.

Last update: 02/01/2005; 15:11:33.

Paul Boutin

Dan Gillmor

Lawrence Lessig

Jenny Levine

Karlin Lillington

John Robb

Dolores Tam

Jon Udell

Dave Winer

Drop me a note via R



E-mail me directly
pique@noos.fr

RSS subscription for Rad



RSS feed for other



Sections

- Front Page
- News
- Opinions
- Columnists
- Sports
- Men's Hoops
- Football
- Go Wild
- Concert Blog
- Police Beat
- Datebook
- Comics
- Crossword
- Special Sections
- Photo Spreads
- Classifieds
- The Wildcat**
- Letter to the Editor
- Wildcat Staff
- Search
- Archives
- Job Openings
- Advertising Info

Student Media

- Arizona Student Media Info
- UATV - Student TV
- KAMP - Student Radio
- The Desert Yearbook
- Daily Wildcat Staff Alumni

CAMPUS NEWS

Engineering students construct mine rover

By Georgeanne Barrett
Arizona Daily Wildcat
Tuesday, November 23, 2004
Print this

Two UA engineering students have built a radio-controlled rover to explore the mysteries inside old mines in the Arizona desert.

Keith Brock and Jessica Dooley, both aerospace engineering seniors, were curious about what was inside a mine northeast of Phoenix near Congress, Ariz., but were not willing to risk their lives to find out.

Brock and Dooley, members of the UA's Aerial Robotics Club, said they were familiar with the technology necessary to make the rover, so it only took two weeks to go from an idea to the finished product.

Dooley said they have yet to test the rover in an actual mine because they are uncertain how safe the mineshafts are and unsure if they will get radio transmission that far underground. They plan to connect the rover to a rope in case they need to pull it out of the mine.


"My grandma has a mine on her property, and we wanted to make something to go in instead of us," Dooley said. "We are hoping to test it over Thanksgiving."

Dooley said the 18-inch-long rover has a searchlight powerful enough to see in the depths of the mine, and a pan-and-tilt video camera that will be able to send images of the mine back to their laptop.

"We are used to building robotic airplanes," Dooley said. "Building something on the ground is a lot easier."

Brock said the rover is 1.5 square feet in area and seven inches tall. He said it can be controlled with a joystick, computer mouse, or cursor tracking.

"In the beginning, we just wanted to make something silly to go into the mine," Brock said. "The rover wasn't nearly as tricky as the aerial stuff we do."



EVAN CARAVELLI/Arizona Daily Wildcat

Senior aerospace engineering majors Jessica Dooley (left) and Keith Brock take a break from testing their mine rover's rock climbing abilities outside the Flandrau Center last week. The rover is capable of transmitting wireless video feed from the depths of a mineshaft back to the surface.

Ar

Serial ra
found he
cell win

Pres. Lil
no gain

UA's Ca
probe Ti
largest n

Student
petitions
food aid

Students
prolong
Thanksg
with fan

Enginee
construc

Fast fact

Police B

Dateboo

No
click

F2 RES
AO
LG
LA G

House
Spr
20

Search

Advanced

Browser

Brock said MaxStream, a wireless device networking company, sponsored a large part of the project by providing Brock and Dooley with 900 MHz radio modem that will allow the rover to communicate with a computer outside the mine.

"We were like Tim Allen, we wanted more power for it," Brock said while explaining how they picked out light bulbs for the rover.

Brock said it cost him and Dooley \$200 to build the rover. He said \$100 of the budget went to buying wheels. The majority of the components came from various parts they had lying around.

"We decided to make the rover from spare parts from our own private stash," Brock said.

Brock said some of the other parts that have made the rover work are servos, mechanisms that drive the wheels, a servo-driver board that allows the remote computer to send signals to the servos, a lithium polymer battery, and a DC-to-DC converter that powers the rover's various electronic parts.

Brock and Dooley originally wanted to put tank tread on the rover, but were unable to find a system that worked.

"It is still in the modification process," Brock said. "It really will never be finished."

Brock and Dooley both said they hope to add to the rover in the future and keep making it better.

They said someday they might add features such as a robotic arm to pick up things out of the mine. They also said they have larger scale future plans for the rover.

"Maybe eventually we could make something for the bomb squad," Brock said. "We could also add features to make it like the Mars rovers."

Dianne Smith, the program coordinator for the Department of Aerospace and Mechanical Engineering, said she thinks it is wonderful Brock and Dooley have been able to develop the rover.

Smith, who has worked with Brock and Dooley for two and a half years, said it is amazing they were able to build this on such a small budget.

"They have done so well and have groomed younger people to follow in the vein they have worked in," Smith said.

Write a Letter to the Editor



V
De
Your link h
Hotel Rese
Auto Insur
Payday Lo
Online Deg
College De
Term Insur
Cheap Airl
Cheap Pla
Concert Ti
Online Cas
Cheap Inkj
Mexico Ho
As Seen o
Online Deg
Auto Insur
Platinum V

Ads by G

Mini RC
\$15.75
Free S
orders
mini-rc-c

RC Hel
Great F
RC Hel
Cars, R
Great S
RC Toy
www.buy

Hobby
Wareh
Full Lin
Produc
prices &
shippin
www.Hob
Warehou

RC Cai
Planes
Radio C
Vehicle
Ready
Great F
www.RCT

NEWS | SPORTS | OPINIONS | GO WILD
CLASSIFIEDS | ARCHIVES | CONTACT US | SEARCH



Sponsored links

Von Dutch
iambigbrother
Phony Diplomas
Cheap Airline Tickets
New York Medical Malpractice
Business school and MBA

Health Insurance
SEO
Government Grants
Net Headlines News
Debt Consolidation
Futons

VOIP
Creativity Innovation
Cheap Car Insurance Quotes
Bt Finance Mortgage
Travel Health Insurance

Webmaster - webmaster@wildcat.arizona.edu
© Copyright 2004 - The Arizona Daily Wildcat - Arizona Student Media

innovations
report

Forum für Wissenschaft
Industrie und Wirtschaft

Hauptsponsoren **SIEMENS** **N24**

[Berichte](#)
[Specials](#)
[b2b-Service](#)
[Profile](#)
[Job News](#)
[Forschung](#)

[Home](#)
[Über uns](#)
[Kontakt](#)
[Partner werden](#)
[Suche](#)

Premium-Jobs
Wir suchen die Besten

Die Top-Stellenangebote deutscher Unternehmen

Beteiligungskapital
zur Realisierung
hochinnovativer
Projekte
gesucht

Steigern Sie die

University of Arizona Students Build Rover to Explore Old Mines

Abandoned mines — remnants of Old West mining booms — closely guard their secrets in the forgotten corners of Arizona's backcountry.

"What's inside?
What's concealed just around that bend in the tunnel?" are the inevitable questions that hikers and others ask when they stumble across these slumbering relics.

Those can be dangerous questions.

Crumbling walls and ceilings that threaten to collapse at the slightest touch; hidden, vertical shafts; poisonous gases; or wildlife lurking inside are just some of the dangers that prevent the non-suicidal from exploring.


Still, the question remains: What's inside?

Two Aerospace Engineering seniors from the University of Arizona have asked that question about a mine near Congress, Arizona — and they're about to find the answer without risking their lives.

They've built an 18-inch-long, radio-controlled rover to do the looking for them. It's equipped with a powerful searchlight to explore the mine's dark recesses and a pan-and-tilt video camera to send images back to their laptop computer.

The mine rover captures a video image of the photographer taking its photo. The photographer's image has been sent from the rover camera (black object just to the right of the light at the front of the rover) to the computer screen.

"Jessica Dooley and I made the ground rover to tour a mine on her grandmother's property," said Keith Brock. "The mine shaft is too small and too dangerous for us to explore ourselves, so we thought



Informationstechnologie
Medizin
18.11.2004
Wissen
Ingenieurwissenschaften
Geisteswissenschaften
Forschungsmethoden
Industrie und Wirtschaft
Hochschulen
Fraunhofer-Institute
Helmholtz-Gemeinschaft
Max-Planck-Institut
Leibniz-Gemeinschaft
Amerikanische Universitäten
Einrichtungen
www.e












Mini-Subn
Mini I
Stunt
Race
www.x

R/C / RC C
Helicopter
Selection
Fun
www.n

Toys Shop
Games
from
www.S

Go

St

Weitere Förderer des Forums














we could make a rover to do it for us. We want to see if there is anything cool inside."

From Concept to Prototype in Three Weeks

Dooley and Brock are veterans of UA's Aerial Robotics Club, which builds robotic airplanes that fly themselves and send back video images of remote targets. With that kind of background, designing and building a ground rover didn't take long — about three weeks, including the time needed to write the software in Visual Basic.

This just-for-fun project is in addition to their full-time engineering studies. Dooley also has a 20-hour-a-week, work-study program at Raytheon and works on research in UA's Lunar and Planetary Laboratory, designing parachutes that will be used to land probes on distant moons and planets. Meanwhile, Brock is on leave from his internship at Raytheon to work on an active-flow-control project in an Aerospace and Mechanical Engineering research lab. That project focuses on finding ways to control aircraft without using moving control surfaces or wing warping. In their "spare time," they're also designing a helicopter autopilot for the Aerial Robotics Club. So how did they fit the mine rover project into their already overloaded schedules? "When you're really passionate about something, you just stay up late," Dooley said.

Getting Into the Technical Details

The rover is about 1.5 square feet in area and seven inches tall. It can be controlled with a joystick, computer mouse or cursor tracking. The cursor tracking or "mouse tracking" is linked to the rover's video camera. Move the cursor to a point on the image sent back from the video camera, and the video camera will center over that part of the image where the cursor lies. "If you have a moving object, you can follow it with the mouse and the camera will automatically stay centered on it," Brock said.

With the hatch off, the rover electronics can be seen to include:

- Lithium polymer batteries (red block at the bottom and yellow blocks on the sides)
- Servos that drive the wheels (black boxes next to the red battery)
- A 900 MHz wireless modem (center, under white label)
- A servo-driver board (top left green board) that allows the remote computer to send signals to the servos.
- A DC-to-DC converter (small board at top center) that has outputs for several voltages to power the rover's various electronic components.

The rover communicates with the computer outside the mine through a 900 MHz radio modem that MaxStream donated to the project. It has a seven-mile range line-of-sight and a half-mile range in dense urban areas. Although they haven't tried it yet, Dooley and Brock believe this will give them sufficient power to communicate with the rover around corners in the mine.

But they still plan to tie a cord to the rover, just in case they need to drag it out or if it dives into a hidden, vertical shaft.

Two servos designed for quarter-scale model airplanes drive the rear wheels, which originally were intended for radio-controlled, off-road, model cars. The servos have a 19 inch-pound rating and will



Content Partner des Forums

push the rover to a maximum speed of 1.6 mph, although it will rarely move that fast while exploring mines.

Brock and Dooley originally wanted to use tank-treads instead of wheels, but couldn't find a suitable system. "We're still working to upgrade this because the rover can't spin on itself now and because we're afraid that it might get high-centered on rocks or other bumps in the mine floor," Brock said.

The rover's large wheels are centered on the body and the students originally designed it so that it could turn over and still be driven. "But then we wanted a big, pan-and-tilt camera," Brock said. "So now it can't turn over. But we could remove that camera and use a really small pinhole camera like those found in security systems. That would be smaller in height and we could drive right-side-up or upside-down."

Combining Standard Components With Plenty of Know-How

The rover is built entirely from off-the-shelf components, most of which were not intended for use in this kind of project. But a considerable amount of expertise in robotics was needed to assemble them into a functioning rover. With the donated radio modem and other parts that Brock and Dooley had lying around in their well-stocked junk box, they were able to build the robot for about \$200. They estimate that building it from scratch with all-new parts would cost about \$1,000.

Depending on what they find inside the mine, they may add extra features in the future, such as a winch or robotic arm to drag out artifacts. They also might equip the robot with a grinding tool so that it could scrape away the surface oxidation on rocks to expose fresh rock underneath, much as the Mars rovers are doing now on the Red Planet.

This kind of robot also could have many other uses, Brock noted. It could become a mobile base for model rockets. "You could mount the rocket, then drive it out and launch it," he said. Or you could equip it with chemical or biological sensors to investigate suspicious packages or vehicles.

Dooley also said a Palm Pilot might be in the robot's future. "Palm Pilots are pretty powerful now," she said. "You can do a lot with them, and it would be cool to walk out there with just the rover and a Palm pilot."


Weitere Informationen: www.arizona.edu

■ ■ ■ Weitere Meldungen im Bereich Informationstechnologie

18.11.2004 | Ed Stiles | Quelle: UA News | CMS by NETZGUT

Impressum



SCI/TECH: Engineering[Home](#) | [Arts](#) | [Calendar](#) | [Health](#) | [Lo Que Pasa](#) | [Sci/Tech](#) | [Society/Culture](#)[Flipback to the engineering and mines section](#)

Keith Brock (left) and Jessica Dooley with their mine rover and associated hardware.

Students Build Rover to Explore Old Mines

By Ed Stiles
November 08, 2004

Abandoned mines — remnants of Old West mining booms — closely guard their secrets in the forgotten corners of Arizona's backcountry.

"What's inside? What's concealed just around that bend in the tunnel?" are the inevitable questions that hikers and others ask when they stumble across these slumbering relics.

Those can be dangerous questions.

Crumbling walls and ceilings that threaten to collapse at the slightest touch; hidden, vertical shafts; poisonous gases; or wildlife lurking inside are just some of the dangers that prevent the non-suicidal from exploring.

Still, the question remains: What's inside?

NOTE

Contact Information

Keith Brock
Aerospace Engineering Senior
brockk@engr.arizona.edu

Jessica Dooley
Aerospace Engineering Senior
dooleyj@email.arizona.edu

Related Web Sites

[UA Aerial Robotics Club](#)
[UA Students Demo Flying Robots](#)
[Creating an Autopilot for Small Helicopters](#)

News to Go



[E-mail this to a friend.](#)

Two Aerospace Engineering seniors from the University of Arizona have asked that question about a mine near Congress, Arizona — and they're about to find the answer without risking their lives.

They've built an 18-inch-long, radio-controlled rover to do the looking for them. It's equipped with a powerful searchlight to explore the mine's dark recesses and a pan-and-tilt video camera to send images back to their laptop computer.

"Jessica Dooley and I made the ground rover to tour a mine on her grandmother's property," said Keith Brock. "The mine shaft is too small and too dangerous for us to explore ourselves, so we thought we could make a rover to do it for us. We want to see if there is anything cool inside."

From Concept to Prototype in Three Weeks

Dooley and Brock are veterans of UA's Aerial Robotics Club, which builds robotic airplanes that fly themselves and send back video images of remote targets. With that kind of background, designing and building a ground rover didn't take long — about three weeks, including the time needed to write the software in Visual Basic.

This just-for-fun project is in addition to their full-time engineering studies. Dooley also has a 20-hour-a-week, work-study program at Raytheon and works on research in UA's Lunar and Planetary Laboratory, designing parachutes that will be used to land probes on distant moons and planets. Meanwhile, Brock is on leave from his internship at Raytheon to work on an active-flow-control project in an Aerospace and Mechanical Engineering research lab. That project focuses on finding ways to control aircraft without using moving control surfaces or wing warping.

In their "spare time," they're also designing a helicopter autopilot for the Aerial Robotics Club.

So how did they fit the mine rover project into their already overloaded schedules? "When you're really passionate about something, you just stay up late," Dooley said.

Getting Into the Technical Details



The mine rover captures a video image of the photographer taking its photo. The photographer's image has been sent from the rover camera (black object just to the right of the light at the front of the rover) to the computer screen.

The rover is about 1.5 square feet in area and seven inches tall. It can be controlled with a joystick, computer mouse or cursor tracking. The cursor tracking or "mouse tracking" is linked to the rover's video camera. Move the cursor to a point on the image sent back from the video camera, and the video camera will center over that part of the image where the cursor lies. "If you have a moving object, you can follow it with the mouse and the camera will automatically stay centered on it," Brock said.

The rover communicates with the computer outside the mine through a 900 MHz radio modem that MaxStream donated to the project. It has a seven-mile range line-of-sight and a half-mile range in dense urban areas. Although they haven't tried it yet, Dooley and Brock believe this will give them sufficient power to communicate with the rover around corners in the mine.

But they still plan to tie a cord to the rover, just in case they need to drag it out or if it dives into a hidden, vertical shaft.


Two servos designed for quarter-scale model airplanes drive the rear wheels, which originally were intended for radio-controlled, off-road, model cars. The servos have a 19 inch-pound rating and will push the rover to a maximum speed of 1.6 mph, although it will rarely move that fast while exploring mines.

Brock and Dooley originally wanted to use tank-treads instead of wheels, but couldn't find a suitable system. "We're still working to upgrade this because the rover can't spin on itself now and because we're afraid that it might get high-centered on rocks or other bumps in the mine floor," Brock said.

The rover's large wheels are centered on the body and the students originally designed it so that it could turn over and still be driven. "But then we wanted a big, pan-and-tilt camera," Brock said. "So now it can't turn over. But we could remove that camera and use a really small pinhole camera like those found in security systems. That would be smaller in height and we could drive right-side-up or upside-down."

Combining Standard Components With Plenty of Know-How

The rover is built entirely from off-the-shelf components, most of which were not intended for use in this kind of project. But a considerable amount of expertise in robotics was needed to assemble them into a functioning




With the hatch off, the rover electronics can be seen to include:

- Lithium polymer batteries (red block at the bottom and yellow blocks on the sides)
- Servos that drive the wheels (black boxes next to the red battery)
- A 900 MHz wireless modem (center, under white label)
- A servo-driver board (top left green board) that allows the remote computer to send signals to the servos.
- A DC-to-DC converter (small board at top center) that has outputs for several voltages to power the rover's various electronic components.

rover. With the donated radio modem and other parts that Brock and Dooley had lying around in their well-stocked junk box, they were able to build the robot for about \$200. They estimate that building it from scratch with all-new parts would cost about \$1,000.

Depending on what they find inside the mine, they may add extra features in the future, such as a winch or robotic arm to drag out artifacts. They also might equip the robot with a grinding tool so that it could scrape away the surface oxidation on rocks to expose fresh rock underneath, much as the Mars rovers are doing now on the Red Planet.



This kind of robot also could have many other uses, Brock noted. It could become a mobile base for model rockets.

"You could mount the rocket, then drive it out and launch it," he said. Or you could equip it with chemical or biological sensors to investigate suspicious packages or vehicles.

Dooley also said a Palm Pilot might be in the robot's future. "Palm Pilots are pretty powerful now," she said. "You can do a lot with them, and it would be cool to walk out there with just the rover and a Palm pilot."



Feedback: What's Your Take?

Your e-mail address (so we may contact you)

Your rant/rave: was this article useful to you?

You're @ the Engineering section of Sci/Tech

[Flipback to the Engineering and Mines section](#)

[More Engineering news....](#) | [Flip to the College of Engineering and Mines](#)

U A N E W S . O R G

[Arts](#) | [Calendar](#) | [Health](#) | [Lo Que Pasa](#) | [Sci/Tech](#) | [Society/Culture](#)

[UANews.org Home](#)


UANews.org is a service of News Services
We're located @ 888 North Euclid, Tucson, Arizona 85721
tel: 520.621.1877 | fax: 520.626.2101

[Site feedback](#)

© 2005 Arizona Board of Regents

Roland Piquepaille's Technology Trends

How new technologies are modifying our way of life



samedi 4 décembre 2004

Have an Old Mine? Build your Rover to Explore it!

Here is a story for your weekend. The grandmother of an engineering student at the University of Arizona has an old mine on her property. What could be inside? Would it be safe to explore it? She -- the student, not the grandmother -- decided it was better to send a robot inside and she teamed with another robotic enthusiast to build a radio-controlled rover to explore the mysteries of the old mine. The 18-inch-long and 7-inch-high robot can communicate with them via a 900 MHz radio modem and send them videos from inside the mine. Theoretically, the robot has a seven-mile range line-of-sight, but the team is not so sure. So the robot is also tied with a rope to pull it out of the mine if necessary, especially if it falls into a big hole. And did I mention this robot is a 'she'? They decided the machine was female "because the rover is independent, sometimes unpredictable and able to do the seemingly impossible" and they called her "Green Meanie." Read more...

Let's start with the beginning of the article of the *Arizona Daily Wildcat*.

Keith Brock and Jessica Dooley, both aerospace engineering seniors, were curious about what was inside a mine northeast of Phoenix near Congress, Ariz., but were not willing to risk their lives to find out.


Brock and Dooley, members of the UA's Aerial Robotics Club, said they were familiar with the technology necessary to make the rover, so it only took two weeks to go from an idea to the finished product.

Dooley said they have yet to test the rover in an actual mine because they are uncertain how safe the mineshafts are and unsure if they will get radio transmission that far underground. They plan to connect the rover to a rope in case they need to pull it out of the mine.

Here is a photo of Keith Brock and Jessica Dooley with their "Green Meanie" rover --

Special Advertisement

Could this happen t



PBS and NOVA pro
tsunamis past and pre
**Wave That Shook
World**, followed b
KRAKATOA March
beginning at 8pm

Discover the Anatomy
Tsunami

Explore key tsunam
throughout histor

How will we detect th
one?

Got questions?
Ask the Expert
Read More...

Reserve your Premium

December 2004

Sun	Mon	Tue	Wed	Thu	Fri
			1	2	3
5	6	7	8	9	10
12	13	14	15	16	17
19	20	21	22	23	24
26	27	28	29	30	31
Nov Jan					



definitively a 'female' machine (Credit: Gary Gaynor, Tucson Citizen).



And here is how "the mine rover captures a video image of the photographer taking its photo. The photographer's image has been sent from the rover camera (black object just to the right of the light at the front of the rover) to the computer screen." (Credit: University of Arizona?)

Here are some general details about this robotic rover.

Dooley said the 18-inch-long rover has a searchlight powerful enough to see in the depths of the mine, and a pan-and-tilt video camera that will be able to send images of the mine back to their laptop.

Brock said the rover is 1.5 square feet in area and seven inches tall. He said it can be controlled with a joystick, computer mouse, or cursor tracking.

Brock said the rover is 1.5 square feet in area and seven inches tall. He said it can be controlled with a joystick, computer mouse, or cursor tracking.

Now, let's turn to the *Tucson Citizen* to learn more about why this robot is a 'she.'

It climbs over rocks as big as your head and remains

Search this blog for

Find ALL words

Search

Courtesy of [PicoSearch](#)

Personal Links

[Roland's Weblog](#)
[Weblog Archives](#)
[Sidebar Stories](#)
[Rate this Blog](#)
[Personal Infos](#)

Advertisers


Reach the tech crowd

This blog focuses on technologies and how they will affect our lives.

This is the place to reach these technology-savvy readers and advertise your most innovative products and services.

[Read More...](#)

Voice of the GoatCams



Effortless algorithmic interface for Mac OS X.

Self-organizing.
 Infinite...
 NOT insane!

[Read More...](#)

agile on loose gravel, sand and hardpan. It can explore areas too dangerous for humans, lighting its way and sending video images to its creators. It's the Green Meanie.

That's what Jessica Dooley dubbed the green-wheeled, battery-operated rover she built with the help of Keith Brock, a fellow aerospace engineering senior at the University of Arizona. She's decided the machine is female.

"It's definitely a she," Dooley said, explaining that the rover is independent, sometimes unpredictable and able to do the seemingly impossible.

Now that we know that this over is female, let's look at more technical details provided by *innovations report*, from Germany, in "**Students Build Rover to Explore Old Mines**."

The rover is about 1.5 square feet in area and seven inches tall. It can be controlled with a joystick, computer mouse or cursor tracking. The cursor tracking or "mouse tracking" is linked to the rover's video camera. Move the cursor to a point on the image sent back from the video camera, and the video camera will center over that part of the image where the cursor lies. "If you have a moving object, you can follow it with the mouse and the camera will automatically stay centered on it," Brock said.

With the hatch off, the rover electronics can be seen to include: lithium polymer batteries; servos that drive the wheels; a 900 MHz wireless modem; a servo-driver board that allows the remote computer to send signals to the servos; and a DC-to-DC converter that has outputs for several voltages to power the rover's various electronic components.

So you have an old mine close to your home and want to see what's inside? Contact the students and build your own 'Green Meanie.'

Sources: Georgeanne Barrett, Arizona Daily Wildcat, November 23, 2004; Larry Copenhaver, Tucson Citizen, December 3, 2004; innovations report, Germany, November 18, 2004


Related stories can be found in the following categories.

- **Robotics**
- **Wireless**

8:40:27 PM [Permalink](#) [Comments \[0 \]](#) [Trackback \[0 \]](#)

The Top 5 Reason Earn...

Five Reasons to Earn Your BS in Computer Science...



A Bachelor of Science in Computer Science from National University. Rank number #1: faster time to degree. Our unique course-per-month system option can accelerate time to an in-demand degree that prepares you for success in today's soft market. Get more details.

[Read More...](#)

[Reserve your Blog](#)

Other Links

[Ars Technica](#)
[Bloglines](#)
[BoingBoing](#)
[Daily Rotation News](#)
[DefenseTech](#)
[del.icio.us](#)
[Engadget](#)
[Feedster](#)
[Gizmodo](#)
[I4U News](#)
[Mindjack Daily Release](#)
[Nanodot](#)
[OhPurleese](#)
[Slashdot](#)
[Smart Mobs](#)
[Techdirt](#)
[Technorati](#)

People

Ads by Goooooogle

Precision Technologies

An industry leader in customized robotic solutions
www.pre-tec.com

Wall Climbing Robot

R/C robot scales many surfaces. Inspection/Law
Enforcement/Security
www.clarifyingtech.com

Hobby Engineering

Check our complete line of robot kits for kids, students and adults.
www.HobbyEngineering.com

Robotic kits and Toys

Large selection of robot toy kits. All shipped within 24 hours.
StoreforKnowledge.com



© Copyright 2005 Roland Piquepaille.

Last update: 02/01/2005; 15:11:33.

Paul Boutin

Dan Gillmor

Lawrence Lessig

Jenny Levine

Karlin Lillington

John Robb

Dolores Tam

Jon Udell

Dave Winer

Drop me a note via R



E-mail me directly
pique@noos.fr

RSS subscription for Rad



RSS feed for other



PHOTONICS SPECTRA

Serving the Industry for 50 Years

Home | Reference Library | Print Publications | Employment Ctr | Tech Focus | News & Analysis | Innovative Products | Calendar | Ad Index

**SPECTRA
HOME**

**CURRENT
ISSUE TABLE
OF CONTENTS**

TECHNOLOGY

BUSINESS

**PRESSTIME
BULLETIN**

**ARTICLE
ABSTRACTS**

**ACCENT ON
APPLICATIONS**

**PHOTONICS
RESEARCH**

**PHOTONICS
MINI-MAG**

**INNOVATIVE
PRODUCTS**

SUBSCRIBE

**FOR ARTICLE
SUBMISSIONS
email
editorial@
photonics
group.com**

Photonics TechnologyWorld January 2005 Edition

Send News to photonics@laurin.com or [submit online here](#)

Sponsored by



Students Build a Rover for Remote Mine Exploration


Because exploring mines can be dangerous, two students at the University of Arizona in Tucson devised an 18-in.-long, radio-controlled rover to remotely investigate a mine's nooks and crannies. Equipped with a pan-and-tilt video camera and two 12-V halogen lamps, the rover is designed to take images and to transmit them back to a laptop computer.

Jessica Dooley and Keith Brock, aeronautical engineering majors and members of the university's Aerial Robotics Club, are used to building autonomous airplanes outfitted for video imaging. They drew on that expertise to build the rover, which is controlled with a joystick or cursor and which carries a high-resolution video camera, currently an LCL-903K 1/3-in. black-and-white CCD camera from Watec America Corp. of Las Vegas. The camera moves so that it can view approximately 180° horizontally and 90° vertically.

The 18-in. radio-controlled rover is designed to explore old mines with its pan-and-tilt video camera.

The rover communicates with the computer via a 900-MHz RF wireless modem from MaxStream Inc. of Lindon, Utah, which is specified as having a line-of-sight range of seven miles and of 1500 ft indoors or in urban areas. Although they have not yet tested it in a mine, Dooley and Brock hope to be able to communicate with the rover if it stays within those limits. The rover is designed for untethered operation, but they do intend to tie a cord to it in their planned tests in an old mine on Dooley's grandmother's property, just in case.

Powered by three lithium polymer batteries, the rover weighs 3.4 lb and can move at 1.6 mph. The camera is a limitation in the design; the students originally wanted the rover to be able to work right side up or upside down, but with the camera attached to the top, it cannot operate that way. They're exploring the possibility of using a small pinhole



camera such as those used in security systems. Upgrades also may include a winch or arm for extracting artifacts and a grinding tool for scraping the surface of in situ samples to expose fresh rock.

The potential uses for the system extend beyond exploration. If a large enough rover were built, it could be used to transport people or to haul samples out of a mine. Or it could be put to work doing the digging. Aside from mining, the rover could be put to use in other dangerous applications, such as in sensing chemical or biological threats or other surveillance uses. ■

by Anne L. Fischer

[Return to the previous page](#)

[Browse](#)

[Accent on Applications](#) | [Presstime Bulletin](#) | [Article Abstracts](#)
[BusinessWorld](#) | [Technology World](#) | [Photonics Research](#)
[Innovative Products](#) | [Spectra Contents](#)

[▲ top of page](#)

Photonics.com: Optical, Laser and Fiber Optics Resource

[[Home](#) | [Reference Library](#) | [Print Publications](#) | [Employment Center](#) | [Tech Focus](#) | [News & Analysis](#)
[[Innovative Products](#) | [Calendar](#) | [Advertising](#) | [About Laurin](#) | [Site Map](#)]



© 1996-2005 Laurin Publishing. All rights reserved.
Photonics.Com is Registered with the U.S. Patent & Trademark Office.

[Privacy Policy](#) | [Terms and Conditions of Use](#)
Reproduction in whole or in part without
permission is prohibited.
webmaster@laurin.com

[Other Areas and Laurin Web Sites](#) ▼

innovations report

Forum for Science,
Industry and Business

Sponsored by **SIEMENS** **N24**

[Reports](#)
[b2b-Service](#)
[Profiles](#)
[JobNews](#)
[Research](#)

[Home](#)
[About us](#)
[Contact](#)
[Join us](#)
[Search](#)

[Deutsch](#)
[English](#)

[Process Engineering](#)

Other Sponsors of the Forum



Carnegie Mellon University

02.06.2003

[Ads b](#)

Carnegie Mellon demonstrates autonomous robot

Explores abandoned mine

Carnegie Mellon University researchers, working with the Pennsylvania Department of Environmental Protection (DEP) and the U.S. Department of Labor's Mine Safety and Health Administration (MSHA), will demonstrate a prototype, autonomous wheeled robot today as it explores and maps a 3,500-foot corridor of an abandoned coal mine near New Eagle in southwestern Pennsylvania.

Named Groundhog, the robot was developed by students in the Robotics Institute's Mobile Robot Development class. It's armed with an array of cameras, gas, tilt and sinkage sensors, laser scanners and a gyroscope to help it surmount the obstacles it will encounter during its unprecedented journey. Typical hazards in an abandoned mine could include roof fall, abandoned equipment and ponded water.

Groundhog will enter the Mathies Mine from a portal near its supply yard and make its way through the darkness to a coal preparation plant more than a half-mile away. The robot travels at a speed of 15 centimeters a second. It will be equipped with a wireless video system that will send back images from the first 500 feet into the mine and, if all goes as planned, from the final 500 feet of its odyssey. Researchers expect that it will take the robot three hours to travel from portal to portal in the mine.

To fulfill its mission, the robot uses perception technology to build maps from sensor data. It must make its own decisions about where to go, how to get there and, more important, how to return safely. Reliable navigation technology is important because of the hazards in abandoned mines. The robot also contains computer interfaces that enable people to view the results of its explorations and use the maps it develops. Groundhog incorporates a technique developed at Carnegie Mellon called Simultaneous Localization and Mapping or SLAM, which enables robots to create maps in real time even as they explore an area for the first time.

"Groundhog has to be ultra reliable because we don't have the option of taking control of it to correct its mistakes," said Robotics Institute Systems Scientist Scott Thayer, who teaches the Mobile Robot Development class with Robotics Institute Fredkin Research Professor William L. Red Whittaker. "The key is our state-of-the-art autonomous exploration and mapping software technology. The robot creates the map, makes its own plan, explores and comes back with useful information."

Groundhog was developed in response to an incident at the Queecreek Mine near Somerset, Pa. last July, when nine miners nearly drowned when they accidentally breached the wall of an

Rob:
Get i
Find
Get i
www.i

Roar:
Auto
Roar
Moni
www.i

3DM
Sen:
mini:
IMU
quat
www.i

Rob:
LVD
Elec
Robi
www.i

Auto:
Prog
Robi
at or
www.i

G
S



adjacent flooded mine that they thought was a safe distance away from where they were working. Inaccurate maps were cited as a cause of the accident.

Robotics Institute students did a demonstration of Groundhog last fall at a mine near Burgettstown, Pa. The robot, which was on a tether, traveled 150 feet into the facility that had been abandoned since 1920. That expedition proved the feasibility of using mapping technology to explore abandoned mines.

"Because it's autonomous, Groundhog represents one of the real junctions in robotics technology," Whittaker said. "The Groundhog is only the beginning. We see future generations of machines that will swim, crawl and climb through mines to enhance safety, support rescue and ultimately enable robotic operations beyond mining in caves, bunkers, aqueducts and sewers."

The Pennsylvania Department of Environmental Protection has given the Carnegie Mellon researchers a grant to develop another robot called Ferret, a cylindrical device designed to be dropped through boreholes into a void. It uses a laser rangefinder to build 3D maps of an otherwise inaccessible space.

"The Commonwealth is committed to researching new technologies that can help us map abandoned mine workings, and we are pleased to partner with Carnegie Mellon University's Robotics Institute as they explore the possibility of sending a robot in to map the extent of these mine voids," said DEP Acting Secretary Kathleen A. McGinty. "These are areas out of reach to those of us on the surface, but if we can use robotic technology to chart these workings, then we will have gained an invaluable tool in our efforts to protect the miners of the Commonwealth from facing another tragedy such as the Quecreek Mine accident."

More information: www.cmu.edu/

Further news items of the area Process Engineering

02.06.2003 | Anne Watzman | Source: EurekAlert! | CMS by NETZGUT



Imprint



Content Partners of the Forum

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.